



Florida Department of Transportation

RON DESANTIS
GOVERNOR

801 N Broadway Avenue
Bartow, Florida 33830

JARED W. PERDUE, P.E.
SECRETARY

For Immediate Release

June 28, 2022

Contact: Andy Orrell

(863) 519-2828 | Andy.Orrell@dot.state.fl.us

FDOT I-4 at CR/SR 557 (Exit 48) New Traffic Pattern *New Westbound Exit Ramp on I-4*

Bartow, Fla. – I-4 at CR/SR 557 Interchange (Exit 48): Early Wednesday, June 29, crews will open the new westbound exit ramp from I-4 to CR/SR 557. Access to the new ramp is east of the CR/SR 557 bridge and replaces the old partial cloverleaf ramp west of the CR/SR 557 bridge. Watch for signs alerting motorists of the change.

All westbound I-4 traffic wanting to exit onto CR/SR 557 (Exit 48) will use the new ramp which takes motorists parallel to I-4 then curves north running parallel to CR/SR 557 for approximately 1200 feet. Motorists will follow the new ramp to a stop sign where they will turn right to head northbound on CR/SR 557, left to head southbound on CR/SR 557 or cross both lanes to the ramp to reenter the interstate westbound.





Motorists traveling on CR/SR 557 will continue to access I-4 from the same location as they do now. Only the westbound I-4 exit ramp is affected.

The new ramp is part of an FDOT project that includes reconstructing the interchange from an existing cloverleaf interchange to a diamond interchange with roundabouts at the ramps, replacing the two-lane bridge with a four-lane bridge, modifying CR/SR 557 and I-4 within the interchange area and adding a new wildlife crossing under I-4. Expected completion is fall 2023.

For more information on this project, visit www.swflroads.com/project/201215-3.

Improve Safety, Enhance Mobility, Inspire Innovation
SWFLRoads.com | @MyFDOT_SWFL | facebook.com/MyFDOTSWFL



-  New Westbound Exit Ramp
-  Northbound traffic on SR/CR 557
-  Southbound traffic on SR/CR 557
-  Westbound entrance from SR/CR 557 to I-4 (no change)

* Not to scale